

XINGPING

Road Safety Equipment



info@roadstudxp.com
86-17359619659 (Wechat/WhatsApp)
www.roadstudxp.com



About Xingping

Since 1996,Xingping Road Equipment is the industry's leading China based on road reflector, solar road stud,traffic cone,traffic bollard ,speed bumps ,car wheel stopper manufacturer. With more than any other China company, Xingping products have been protecting road safety of highway and airport construction projects for more than 20 years.

Xingping utilizes advanced solar technology, premium components and extremely durable material to produce maintenance free road safety products that are engineered to work for many years.


Xingping has no rival when comparing quality, experience and variety of product.



Content

- 1.Solar LED road stud
- 2.Road Reflector
- 3.Traffic cone&traffic bollard
- 4.Speed bumps

Solar LED road stud



Item No.: LD-RSD-SC


Characteristics:

Embossed into ground, visible under streetlight, snow plow-proof

Key Features:

For pedestrian crossing, center line, slip road and other heavy traffic use,

Only 6.5 mm above the road surface,
40 tons compression resistance,
500 m visible



Item No.:LD-RSA-PC-360

Key Features:

Transparent and round design, no sharp edge. 360 degree visibility. No blind spot in any curve.

Spot lighting:

Polycarbonate epoxy filler

φ116*25 mm

0.256kg

Red blue green yellow white

IP 68



Item No.: LD-RSD-AL

Key Features:

20ton compression resistance.

Larger solar charging area.

Anti-impact and IP68 design for reflector.

Spot lighting:


aluminium alloy+Polycarbonate+epoxy
filler

105x105x25mm/105*125*25mm

0.42Kg

red blue green yellow white

IP 68



Item No.: LD-RSD-PSC

Key Features:

Six pcs Ø8mm LED each side provides quite bright lighting.

Spot lighting:

Polycarbonate+epoxy filler

105x100x20mm

0.22kg

red blue green yellow white

IP 68



Item No.: LD-RSD-AL-U


U Shape Solar Alu

Reflective Aluminum Solar Road Stud

Size110*97*24mm

Aluminum shell White epoxy filler

Color:White,red,blue,green ,yellow



Item No.:LD-RSA-PC-360

Key Features:

Transparent and round design, no sharp edge. 360 degree visibility. No blind spot in any curve.

Spot lighting:

Polycarbonate epoxy filler

φ116*25 mm 0.256kg

Red blue green yellow white

IP 68



Item No.: LD-RSD-AL-AR

Arc-shape Solar Alu

Reflective Aluminum Solar Road Stud

138*50*34mm

Aluminum shell White epoxy filler

Color:White,red blue,green and yellow



Item No.: LD-RSD-PSC

Key Features:

Six pcs Ø8mm LED each side provides quite bright lighting.

Spot lighting:

Polycarbonate+epoxy filler

105x100x20mm 0.22kg

red blue green yellow white

IP 68



Item No.: LD-RSD-AL-EB

Embossed Solar Alu

Reflective Aluminum Solar Road Stud

135*125*50mm

Aluminum shell White epoxy filler

Color:White,red blue,green and yellow



Item No.: LD-RSD-UPC

Ultrathin plastic solar ground lights

114*90*11mm



Compressive 60 tons Tempered glass road reflector

Road reflector

43 beads aluminum road reflector







ABS Plastic road stud
 Item number: LD-RSD-ABS
 Size: 100*100*20cm
 Key Features:
 More Perfect Design of
 Protective Lens
 Impact Protective Lens
 Structure-Raised Edges Around
 Lens Weaken the Impact by
 Vehicle.
 Non-Metalized Lens – Air Gap
 Technology Increases
 Reflectivity.



43-beads Aluminum
 Glow studs
 Item No.: LD-RSD-GRS
 Self-luminous Road Stud
 43-beads Reflective
 Size: 100*100*15mm
 Aluminum shell
 Color:fluorescence



Aluminum road stud with epoxy
 filler
 Item number: LD-RSD-AL-RSF
 Size: 100*100*20cm
 Key Features:
 More Perfect Design of
 Protective Lens
 Impact Protective Lens
 Structure-Raised Edges Around
 Lens Weaken the Impact by
 Vehicle.
 Non-Metalized Lens – Air Gap
 Technology Increases
 Reflectivity.



Plastic Road Reflectors/3m
 Road Studs
 Item No.: LD-RSD-PS
 Size: 100*90*18 mm
 Materials: ABS plastic
 Reflector Color: white, red,
 yellow, green, blue
 Press Assistance: > 15 tons
 Visibility:>500m
 Lifespan: > 5 years
 Working environment: -25 °C ~
 + 75 °C


Clip-type Curling Delineator For Tunnel

Item Number :LD-CD01

Product Size:410*220*10mm

Product characteristic : Dust prevention, waterproof, anti-static, self-cleaning, waveform design with large and omnidirectional reflective surface, have super great warning effective .

Application Area: Special for Concrete guardrail ,concrete bridge ,wave shape fence ,ramp,tunnel and entrances of parking lots




Right-angle Curling Delineator For Tunnel

Item number:LD-CD02

Product Size:500*130/100*10mm

Product characteristic : Dust prevention, waterproof, anti-static, self-cleaning, waveform design with large and omnidirectional reflective surface, have super great warning effective . Suitable for tunnel design ,easy to install . Including the plastic nail 6 pcs/set.

Application Area: Special for tunnel



Traffic cone& traffic bollard



Made from 100% virgin PVC materials. Made with a two step injection process, these traffic safety cones are designed for full-time use in traffic zones, general use in city areas or around airports or events.

Size: 12" 18" 28"36"

Cones are available with or without reflective collars. Logos as well as markings can be added. Designed for all-weather performance and long life and stand up to full-time use in all situations.

Purchase safety cones with or without reflective collars. Customize your cones with a logo or stencil marking for identification. Perfect to stand out from your competition.

Meet MUTCD, FHWA, NFPA and NCHRP-350 approval standards.

高度 Height	750mm
重量 Weight	2.35kg
底部 Bottom	340x340mm

*Material:100% New PVC
 *UV-Resistant
 *Cold-Resistant
 *Super Flexibility
 *orange , white , yellow , red , green colors can be available

LZ-209A 29.5"



高度 Height	750mm
重量 Weight	3.6kg
底部 Bottom	360x360mm

*Material:100% New PVC for cone body and Recycled PVC for base
 *UV-Resistant
 *Cold-Resistant
 *Super Flexibility
 *orange , white , yellow , red , green colors can be available
 *Pallet Packing: 315 pcs/pallet(In 20'GP); 378 pcs/pallet(In 40'HQ)

LZ-209B 29.5" 29.5"



高度 Height	710mm
重量 Weight	3.2kg
底部 Bottom	350x350mm

*Material:100% New PVC for cone body and Recycled PVC for base
 *UV-Resistant
 *Cold-Resistant
 *Super Flexibility
 *orange , white , yellow , red , green colors can be available
 *Pallet Packing: 342 pcs/pallet(In 20'GP); 432 pcs/pallet(In 40'HQ)

LZ-210A 28" Normal feet
 LZ-210B 28" Normal feet
 LZ-210C 28" Normal feet



*Pallet Packing: 306 pcs/pallet(In 20'GP); 351 pcs/pallet(In 40'HQ)

高度 Height	900mm
重量 Weight	4.5kg
底部 Bottom	360x360mm

*Material:100% New PVC
 *UV-Resistant
 *Cold-Resistant
 *Super Flexibility
 *orange , white , yellow , red , green colors can be available



LZ-211



高度 Height	900mm
重量 Weight	4.5/5/5.5kg
底部 Bottom	360x360mm

*UV-Resistant
 *Cold-Resistant
 *Super Flexibility
 *orange , white , yellow , red , green colors can be available
 *Pallet Packing: 252 pcs/pallet(In 20'GP); 315 pcs/pallet(In 40'HQ)



LZ-212A 36"
 LZ-212B
 LZ-212C



高度 Height	150mm
重量 Weight	0.26kg
底部 Bottom	150x150mm

*Material:100% New PVC
 *UV-Resistant
 *Cold-Resistant
 *Super Flexibility
 *orange , white , yellow , red , green colors can be available



LZ-213



高度 Height	8cm
重量 Weight	0.02kg
底部 Bottom	9cm

CR-001



高度 Height	500mm
重量 Weight	0.55kg
底部 Bottom	285x285mm

*Material : 100% Virgin PP for Cone



LZ-301 20"



高度 Height	300mm
重量 Weight	0.25kg
底部 Bottom	225x225mm




LZ-302 12"



高度 Height	900mm
重量 Weight	4.5kg
底部 Bottom	360x360mm

*Material: 100% New PVC
 *UV-Resistant
 *Cold-Resistant
 *Super Flexibility
 *orange, white, yellow, red, green colors can be available
 *Pallet Packing: 225 pcs/pallet(In 20'GP); 288 pcs/pallet(In 40'HQ)



LZ-201E 36"



高度 Height	700mm
重量 Weight	2.3kg
底部 Bottom	360x360mm

LZ-203A 28"



高度 Height	700mm
重量 Weight	1.8kg
底部 Bottom	350x350mm

LZ-203B 28"



高度 Height	700mm
重量 Weight	1.9kg
底部 Bottom	350x350mm

LZ-203C 28"





高度 Height	680mm
重量 Weight	1.4kg
底部 Bottom	310x310mm

LZ-203D 28"




*Material: 100% New PVC
 *UV-Resistant
 *Cold-Resistant
 *Super Flexibility
 *orange, white, yellow, red, green colors can be available
 *Pallet Packing: 342 pcs/pallet(In 20'GP); 432 pcs/pallet(In 40'HQ)



高度 Height	720mm
重量 Weight	3.3kg
底部 Bottom	380x380mm

*Material: 100% New PVC
 *UV-Resistant
 *Cold-Resistant
 *Super Flexibility
 *orange, white, yellow, red, green colors can be available



LZ-202 29"



高度 Height	700mm
重量 Weight	3.2kg
底部 Bottom	360x360mm

LZ-204A 28"



高度 Height	700mm
重量 Weight	2.3kg
底部 Bottom	350x350mm

LZ-204B 28"




高度 Height	700mm
重量 Weight	4.5kg
底部 Bottom	360x360mm

LZ-204C 28"



*Material: 100% New PVC for cone body and Recycled PVC for base
 *UV-Resistant
 *Cold-Resistant
 *Super Flexibility
 *orange, white, yellow, red, green colors can be available
 *Pallet Packing: 306 pcs/pallet(In 20'GP); 351 pcs/pallet(In 40'HQ)



可以任意碾压
Can be arbitrarily rolled



不会造成汽车磨损
Will not cause car damage



碾压后恢复原状
Return back after rolling



高度 Height	900mm
重量 Weight	4.1kg
底部 Bottom	370x370mm

LZ-201A



36"

*Material: 100% New PVC
 *UV-Resistant
 *Cold-Resistant
 *Super Flexibility
 *orange, white, yellow, red, green colors can be available
 *Pallet Packing: 225 pcs/pallet(In 20'GP); 288 pcs/pallet(In 40'HQ)

高度 Height	900mm
重量 Weight	3.4kg
底部 Bottom	370x370mm

LZ-201B



36"

新款 New



High intensive reflective sheeting(auto-adhesive style)
 高透级反光膜



Micro-prismatic reflective sheeting (Non auto-adhesive style)
 晶格膜

高度 Height	1100mm
柱子重量 Post Weight	0.7kg
底部尺寸 Base Size	420 x 420mm
底部重量 Base Weight	6~8kg



JSZ-003A



JSZ-003B

高度 Height	1100mm
柱子重量 Post Weight	1kg
底部尺寸 Base Size	420 x 420mm
底部重量 Base Weight	5.5kg



JSZ-003C

高度 Height	710mm
柱子重量 Post Weight	0.58kg
底部尺寸 Base Size	420 x 420mm
底部重量 Base Weight	6~8kg



JSZ-003D

高度 Height	900mm
重量 Weight	5kg
底部 Bottom	360x360mm

LZ-201C



36"

The mould is owned by client
 *Material: 100% New PVC
 *UV-Resistant
 *Cold-Resistant
 *Super Flexibility
 *orange, white, yellow, red, green colors can be available
 *Pallet Packing: 225 pcs/pallet(In 20'GP); 288 pcs/pallet(In 40'HQ)

高度 Height	900mm
重量 Weight	3.4/4.2kg
底部 Bottom	350X350mm/360x360mm

LZ-201D



36"



High intensive reflective sheeting(auto-adhesive style)
 高透级反光膜



Micro-prismatic reflective sheeting (Non auto-adhesive style)
 晶格膜

pallet packing Qty:279pcs/20'GP;351pcs/40'HQ

高度 Height	950mm
重量 Weight	3kg
底部直径 Base Diameter	φ 260mm

JSZ-001A



JSZ-001B



高度 Height	800mm
重量 Weight	2.8kg
底部直径 Base Diameter	φ 260mm

JSZ-001C



高度 Height	500mm
重量 Weight	2.7kg
底部直径 Base Diameter	φ 260mm

JSZ-001D



This product can be made different height 本产品可以根据客户要求,做成不同的高度



JSB-001

高度 Height	1100mm
总重量 Total Weight	13kg
板重量 Board Weight	2kg
底座重量 Base Weight	11kg
底座规格 Base Size	L500 x W500 x H45mm
板规格 Board Size	H1100 x W310mm



JSB-002

高度 Height	1100mm
总重量 Total Weight	18kg
板重量 Board Weight	2kg
底座重量 Base Weight	16kg
底座规格 Base Size	L700 x W400 x H80mm
板规格 Board Size	H1100 x W240mm



JSB-006

高度 Height	570mm
重量 Weight	0.6kg
底部 Bottom	400x400mm
长度 Length	610mm
上宽 Top Width	205mm
下宽 Bottom Width	295mm

Features:

*Material: made by high quality PE and rubber

*UV-Resistant

*With good reflective collars

*Different weight can be available

取材于优质塑料和橡胶合成，抗寒、防紫外线。
反光性能好，重量客户根据客户要求定做。

A字牌
Plastic A Shape
No Parking Sign Board



JST-001

高度 Height	750mm
直径 Diameter	200mm
重量 Weight	1.5kg



JSB-003

高度 Height	1100mm
总重量 Total Weight	16kg
板重量 Board Weight	1kg
底座重量 Base Weight	15kg
底座规格 Base Size	L670 x W400 x H90mm
板规格 Board Size	H1000 x W220mm



JSB-004

高度 Height	800mm
总重量 Total Weight	8kg
板重量 Board Weight	1kg
底座规格 Base Size	L370 x W320 x H100mm
板规格 Board Size	H725 x W200mm



JSB-005

长度 Length	116mm
重量 Weight	2.4kg
宽度 Width	250mm



JST-002

高度 Height	1100mm
底部 Bottom	600x600mm
重量 Weight	12kg





Name:folding traffic cones

Color:orange

Materials:PP plastic+reflective oxford cloth

Size:40*24.5*24.5cm

Type:reflective cone

Features:

- Has good flexibility, anti-car rolling, hard object impact will not be damaged.
- With anti-sun, not afraid of wind and rain, heat, cold, no cracking, no color and so on.
- Lime and white color eye-catching at night to reflect the dazzling light so that drivers a look at the scene.
- Used in urban intersection lanes, car parks, highway maintenance, hotels, residential, sports venues, dangerous areas and road construction lots.

PRODUCT DETAILS



1 LED WARNING LIGHT

The warning light has active illumination and passive illumination, which is very eye-catching at night.



2 HIGH QUALITY LUMINESCENT MATERIAL

ABS+reflective Oxford cloth with reflective effect



3 BASE DESIGN

The base is detachable and retractable, the appearance is beautiful, the structure is exquisite, preventing unevenness and convenient use.




4 EXQUISITE WORKMANSHIP

The foldable road cone is small in size, easy to operate, and easy to carry. The column is made of soft waterproof and reflective Oxford cloth with reflective tape.


Speed bumps



JSD-001			
Middle Section	Size	L1000xW380xH50mm/pc	
中端	Weight	15kg/pc	
End Cap	Size	L190xW380xH50mm/pc	
端头	Weight	2kg/pc	




JSD-002			
Middle Section	Size	L500xW300xH45mm/pc	
中端	Weight	6kg/pc	
End Cap	Size	L250xW300xH45mm/pc	
端头	Weight	2kg/pc	




JSD-003A			
Middle Section	Size	L500xW350xH50mm/pc	
中端	Weight	7kg/pc	
End Cap	Size	L175xW350xH50mm/pc	
端头	Weight	1.8kg/pc	

JSD-003B			
Middle Section	Size	L500xW350xH45mm/pc	
中端	Weight	6kg/pc	
End Cap	Size	L175xW350xH45mm/pc	
端头	Weight	1.8kg/pc	



JSD-004A			
Middle Section	Size	L1000xW350xH50mm/pc	
中端	Weight	14kg/pc	
End Cap	Size	L175xW350xH50mm/pc	
端头	Weight	1.8kg/pc	

JSD-004B			
Middle Section	Size	L1000xW350xH45mm/pc	
中端	Weight	12kg/pc	
End Cap	Size	L175xW350xH45mm/pc	
端头	Weight	1.8kg/pc	



JSD-005			
Middle Section	Size	L250xW350xH50mm/pc	
中端	Weight	3.75kg/pc	
End Cap	Size	L175xW350xH50mm/pc	
端头	Weight	1.8kg/pc	




JSD-006			
Middle Section	Size	L600xW500xH32mm/pc	
中端	Weight	9kg/pc	
End Cap	Size	L600xW250xH32mm/pc	
端头	Weight	3kg/pc	



JSD-007			
Middle Section	Size	L900xW500xH50mm/pc	
中端	Weight	19kg/pc	
End Cap	Size	L900xW250xH50mm/pc	
端头	Weight	7.5kg/pc	




JSD-014



Middle Section 中端	Size	L250xW350xH53mm/pc
	Weight	4.5kg/pc
End Cap 端头	Size	L250xW350xH53mm/pc
	Weight	2kg/pc


• The mould is owned by customer

JSD-015



Middle Section 中端	Size	L1000xW450xH50mm/pc
	Weight	20kg/pc
End Cap 端头	Size	L250xW450xH50mm/pc
	Weight	4kg/pc

JSD-016



Middle Section 中端	Size	L500xW500xH55mm/pc
	Weight	14kg/pc
End Cap 端头	Size	L270xW500xH55mm/pc
	Weight	4kg/pc



JSD-018

尺寸	Size	L3000xW1800xH65mm/pc
总重量	Total Weight	280-320kg/set


• The mould is owned by customer



装柜图
Loading photo



减速垫配件
Rubber Speed cushion accessories




JSD-019

Middle Section 中端	Size	L500xW100xH20mm/pc
	Weight	2kg/pc

Colorful lamination Parking stopper ,corner guard ,speed bumps

Technical specification:Shaw hardness 83.5-85, tensile strength 9.9-10.1, tear strength 29.73, impact resilience 43.2%, in line with the industry standard GA/T487-2004(Chinese standard), reaching the excellent level.Can withstand high temperature and low temperature extreme weather. flame retardant material.

Advantage: High quality synthetic material, resistant to rolling and aging, no addition of stone powder and other impurities.The material is resistant to high temperature and low temperature, adapt to different climate environment, strengthen the design of key parts, and guarantee the quality for more than 10 years.





SAFETY

Who we sale?

Export to:South Africa, Morocco, Egypt, the United Arab Emirates, Saudi Arabia, France, the Netherlands, Poland, Germany, Britain, India, Iran, Thailand, Taiwan, South Korea, Japan, the United States, Mexico, Brazil, Chile, Australia, New Zealand, Russia, the Philippines

Sincere contact, integrity first!